

Description

Tension sensing block is **CE Certified** strain gage based load cell with full temperature compensation. It is provided with overload protection and it is easy for installation. It is designed for fitting Plummer bearing block. Load sensing element is constructed from tool steel & the outer body is powder coated MS. TSB are typically applied in pair, one under each of supporting guide block pillow bearings. TSB is available from 75 kgf onwards load upto 1.5 Tf.

Features


- ❖ **CE Rated** ❖ 75 to 1500 Kgf. capacities offered.
- ❖ Complete environmental protection IP65 Class for gage area.
- ❖ Standard output 1.5 mV/V available.

Applications

Used for measuring tension of materials drawn over a rotating rollers in web processing industries & web converting processes such as:
 ❖ Paper ❖ Foil ❖ Magnetic Tape ❖ Plastic Tape ❖ Yarn & Filaments
 ❖ Printing ❖ Coating ❖ Laminating

Performance Specification

Standard Capacities (KGF)- Small Large	75,100, 200,300,500,750,1000,1500
Excitation Voltage	10 VDC- Maximum 15 VDC
Nominal Output	1.5/2.0 m V/ V
Non - Linearity	< ±0.1% FSO(Full Scale Output)
Hysteresis	< ±0.1% FSO
Non-Repeatability	< ±0.1% FSO
Creep (30 minutes)	< ±0.03% FSO
Zero Balance	±1.0% FSO
Input Resistance	390 ± 15 Ohms
Output Resistance	350 ± 3 Ohms
Insulation Resistance (50 VDC)	> 1000 Mega Ohms
Cable Length (4 Core Screened)	5 mtrs
Safe Overload of Rated Capacity	150%
Ultimate Overload of Rated Capacity	250%
Allowable Side Load	50%
Temp. Compensated Range	0-60 °C
Temperature Effect on Output	< 0.05% FSO/ °C
Temperature Effect on Zero	< 0.05% FSO/ °C
Rotational Angular Deflection	< 0.5mm at FSO
Finish & Construction	Tool Steel
Environmental Protection Class	IP 65 gage area



Electrical Termination

Options

- + Input - Red
- + Output - Green
- Input -Black
- Output - White
- Shield - Floated

- * Compatible Instruments with Relay output, 4-20 mA or 0-2 Volt Output
- * Digital Version with RS-485 interface / USB output / Blue Tooth Telemetry / Wireless Telemetry
- * Software for Graphic, Tabulation, Reporting & Analysis

Size	Capacity-Kgf.	A	B	C	D	E	F	G	H	J	K
Small	75 , 100	165	50	50	8.0	145	129	12.5	30	8.0	8.5
Large	200,300,500,750,1Tf, 1.5Tf	242	90	72	12	210	180	18	50	10	9.0

Specification are subject to change.

All dimensions are in mm.



Made in INDIA by:

ADI ARTECH
TRANSDUCERS PVT. LTD.
 (An ISO 9001:2015 Certified Company)

917/1, G.I.D.C. Estate, Makarpura, Vadodara - 390 010, Gujarat, INDIA
Mobile : +91-9374068998, 9879444551, 9054467370
Email : sales@adiartech.com, adiartech@adiartech.com
Website : www.adiartech.com